

# Doors for a beautiful home

Westag interior doors range



# What does your perfect door look like?

## That's easy: it's as unique as you are!

You want doors that are as individual as a tailor-made suit – doors that complement your style and the way you live. Get inspired! In this magazine you'll find information about the latest interior design trends, different styles, different kinds of doors and various ways of combining them.

But we all know that looks aren't everything – what's on the inside also counts. So from page 56 onwards we take a detailed look at the most important technical features of our doors. You'll soon see why you'll be satisfied with Westag & Getalit interior doors, even after many years.



**35**

**decors and lacquerings**  
from trendy white and varied wood reproductions to exciting plain colours

**3**

**surfaces**  
from hard-wearing CPL and decor foils to elegant lacquer

**83**

**door models**  
from simple to classic, from country house to Design styles

**6**

**door frame options**  
from round to square or profiled; for rebated and flush-closing doors with a great emphasis on design



### Find exactly what you're looking for

Wondering how you'll find the door that's right for you?

Our specialist dealers are here to help, providing expert advice and planning and ensuring that installation goes smoothly.

Or let you be inspired by yourself. All interior door options with just a few clicks:

[westag-getalit.com](http://westag-getalit.com)



**36**

#### kinds of glass

from transparent glass and structured glass to individual sandblasted glazing

**2**

#### door edge options

low-maintenance round edge or puristic square edge (flush-closing doors always have a square edge)

**2**

#### door leaf cores

robust hollow chipboard core or extremely heavy-duty solid chipboard core

# Contents

Doors provide connection – and separation. They add to our wellbeing and have a considerable impact on the style of our home. At Westag & Getalit, we offer a wide range of doors. Take advantage of our thousands of possible combinations and create a door whose design, function and quality are a perfect match for you and your lifestyle.

## Trends and tips

- 2 What does your perfect door look like?
- 6 This is Westag & Getalit
- 8 Top trend – white
- 14 Oak – a modern classic
- 18 Doors with lacquer
- 28 Country house meets contemporary

## Door models and ranges

- 10 Doors with glass openings
- 12 Doors with muntins
- 16 Design doors – View
- 18 Design doors – Westaline
- 24 Design doors – Smartline
- 26 Design doors – Lineo
- 30 Country house doors – Provence
- 36 Country house doors – Bretagne
- 38 Sliding door systems

## Surfaces, decors, glass options

- 44 Westag quality – good for the environment
- 46 Glazing collection
- 48 PortaLit® – finishes you can see and feel
- 50 PortaLit® – Doors with CPL finish
- 52 DekoRit® – Doors with decor foil surfaces
- 53 WestaLack® – Doors with lacquer finishes
- 54 Product overview – Interior door range

## Technical details – Features that count

- 56 Door structures
- 58 Door frames
- 60 Door sizes
- 61 Technical terms
- 62 Hinges and locks
- 63 Apartment entrance doors
- 65 Apartment entrance doors – Soundproofing and fire protection
- 66 Apartment entrance doors – Burglary prevention






**38**  Sliding door systems



Decors  **48**



Apartment entrance doors  **63**

The figures may contain colour deviations due to the printing process. Subject to technical modifications.

Illustration on front page: Westaline-doors type 2505 in WestaLack® arctic white (RAL 9016)

# This is Westag & Getalit



More than 110 years of company history are based on motivated employees, sustainable management, high-tech production and high-performance logistics. All this together is the reason why we are one of the leaders in Europe in the production of wood-based and synthetic goods.

For more information see:  
[www.westag-getalit.com](http://www.westag-getalit.com)



### **Founded in 1901**

The origins of our company date far back. On 7 December 1901, Joseph Ellendorff established a furniture factory that would later become Westag & Getalit AG.



### **Sales in 59 countries**

Our sales activities are focused on Europe. Much of this business is concentrated in Western Europe, although Eastern Europe is becoming increasingly important. Naturally, we also distribute our products worldwide.



### **More than 1,200 employees**

Westag & Getalit has a workforce of over 1,200 employees. These men and women have been with the company an average of 18 years; they live according to its philosophy and simultaneously help articulate that philosophy.



### **First laminated door**

In 1972 we developed the first Portalit laminated door and were thus pioneers for the further market.



### **Made in Germany**


We manufacture our doors at our production sites in Germany as before. This allows us to guarantee high quality and availability at all times.

# Top trend: white




## arctic white (RAL 9016)

PortaLit® CPL <sup>1)</sup>  
WestaLack® lacquered




## classic white (RAL 9010)

PortaLit® CPL <sup>1)</sup>  
DekoRit® decor foil <sup>1) 2)</sup>  
WestaLack® lacquered



## uni white (RAL 9010)

PortaLit® CPL  
DekoRit® decor foil <sup>2)</sup>



## White can be so much more than just white

Home is where we feel most comfortable. It's where the family comes together, where we meet our friends, and where we live, love and laugh. Within our own four walls we can simply be ourselves. And interior doors can really make a house feel like a home. They're the fittings that we look at and

touch most frequently, which is why it's so important that our doors match our style and our taste. This applies to white doors in particular. Because white is so much more than just white. At Westag & Getalit you can choose from a wealth of features to create the perfect white door for you. We offer a wide

range of different types of doors, decors and surfaces, from cold to warm, plain-coloured to wood, PVC foil to lacquer.

The choice is yours!




**ash tree arctic white**  
PortaLit® CPL



**pine white**  
PortaLit® CPL



**pine white cross**  
PortaLit® CPL




### What shade of white is right for me?

This short checklist can help you decide:

- What are the dominant colours in my home?
- What colours are the walls, floors, windows, light switches and furniture?
- Are cold or warm white tones more likely to match?
- Might cosy, white woods be suitable?
- Do I prefer a certain kind of door surface?

### Which door series is my favorite?





## Doors with glass openings

### Simply stunning – transparent doors at affordable prices

Direct light where it's needed and create transparency between rooms: doors with see-through panels are available to suit every budget and in many varieties – with round or angular glass openings and to fit both modern and classic styles. The glass is contained by glass beads in matching colours.



| Type LA-KR<sup>1)</sup> |  
350  
Transparent glass



| Type LA-DIN |  
Transparent glass

Configure our entire interior door range with just a few clicks

[westag-getalit.com](http://westag-getalit.com)

<sup>1)</sup> Glass beads available in stainless-steel effect



Glass opening door LA-DIN in PortaLit® classic white (A 223), glazing: transparent glass



| Type LA-1000 |  
Transparent glass




| Type LA-100 |  
Transparent glass



| Type LA-40 |  
Transparent glass



| Type LA-3 |  
Transparent glass



| Type LA-3Q |  
Transparent glass



| Type LA-1 |  
Transparent glass



| Type LA-1D |  
Transparent glass



| Type LA-1B |  
Transparent glass



| Type LA-18-21,5 |  
Transparent glass



Doors illustrated are in PortaLit®-  
decor classic white (A 223).  
Doors with glass openings are  
available for Westag's entire range of  
surfaces. All decors and finishes can  
be found on pages 51–53. Suitable  
glass options can be found on pages  
46/47.  
Further information about the glass  
beads can be found on pages 54/55.



# Doors with muntins

## Adding a touch of light – with openings large and small

Light has a great impact on our wellbeing. Doors with glass openings and muntin frames make the most of the lighting conditions in a room, creating a warm, cosy atmosphere. These eye-catching doors are available with large and small glass openings and come in a range of different decors. The muntin frames add interest to the glass openings and provide some structure. The combination of transparent glass and satin-finished glass in the narrower version lends it a designer touch.



| Type LA-DIN |  
Muntin 5  
Transparent glass



| Type LA-DIN |  
Muntin 1  
Transparent glass



| Type LA-DIN |  
Muntin 2  
Transparent glass



| Type LA-DIN |  
Muntin 3  
Transparent glass



| Type LA-DIN |  
Muntin 4  
Transparent glass

Configure our entire interior door range with just a few clicks



Glass opening door LA-1 with muntin 1.3 in PortaLit® plain white (A 242), glazing: transparent glass with sandblasted glass at the centre



| Type LA-1 |  
Muntin 1.1  
Design glazing



| Type LA-1 |  
Muntin 1.2  
Design glazing



| Type LA-1 |  
Muntin 1.3  
Design glazing



Doors illustrated are in PortaLit® decor plain white (A 242). All available muntin frame decors can be found on pages 54–55. Suitable glass options can be found on pages 46/47.

”

Doors with  
oak decor  
make a real  
statement  
in modern  
homes.

“

# Oak – a modern classic

Think oak is out of date? Think again! This high-density, vibrant wood from the domestic oak tree has once again become something of a favourite in premium furniture manufacturing – and rightly so.

Modern oak is much lighter – a world away from the rustic appearance it used to have. The gentle colours complement both the new country style and more puristic surroundings.



View Design door, Type 2211 in PortaLit® platinum oak cross (EiC 424), glazing: Satinato



platinum oak cross  
(EiC 424)



amber oak cross  
(EiC 727)



adria oak cross  
(EiC 767)



platinum oak  
(Ei 424)



amber oak  
(Ei 727)



adria oak  
(Ei 767)

Wood reproductions based on real veneers have a harmonious, elegant effect. These extremely robust surfaces have particularly attractive structures and are durable enough to withstand all kinds of day-to-day demands. Oak decors with transverse grain patterns are particularly distinctive.

 For further oak decors see page 51 onwards



## View – Doors with strip apertures

### Design doors – for every room

Homes and rooms are becoming more and more open and transparent. And this applies to our doors, too. Design doors with strip apertures allow for refreshing interior and exterior views and make rooms brighter and more pleasant.

From large glass surfaces to narrow strip apertures, you can choose what's right for your home. And it doesn't have to be transparent glass: sandblasted and satin-finished glass are also a fantastic match for our smooth Design surfaces.



| Type 2100 |  
Motif 2 Lines negative

Configure our entire interior door range  
with just a few clicks

[westag-getalit.com](https://westag-getalit.com)



View door Type 2211, flush closing with hidden hinges Tectus TE 340 3D in Portalit® amber oak cross (EiC 727), glazing: Satinato



| Type 2100 |  
Motif 3 x 9



| Type 2202 |  
Motif Lines



| Type 2209 |  
Motif Straight




| Type 2204 |  
Motif Spider



| Type 2211 |  
Satinato



Doors illustrated are in Portalit® decor amber oak cross (EiC 727). The 'View' range of doors is available in Westag's entire range of surfaces. All decors and finishes can be found from page 51 onwards. Corresponding glass options can be found on pages 46/47.



# Lacquered doors – not just for retro interiors!



## Lacquered doors for a modern home

The growing trend towards customised interior design shows no sign of slowing down. Increasingly, we're seeing various styles – including retro, open loft style, cocooning, opulent, puristic and natural – being combined in a single space. Lacquered doors look noble, feel pleasant and visually enhance the room.



For more information about the WestaLack® collection, go to page 53





# Westaline – Doors with grooving

## Design between the lines

Our Westaline doors are made for those who love good design: puristic, pared down and bold. The stylish groove detailing lends structure to the door and highlights its elegant simplicity and straight lines. The horizontal grooves form an interesting contrast to the door's height. And for added light, there are embedded strip apertures or, in the more cost-effective version, fitted glass openings.



| Type 2510 |



| Type 2513 |



| Type 2514-LB |  
Transparent glass



| Type 2514 |




| Type 2504 |



| Type 2504-LB |  
Motif Spider



Doors illustrated are in WestaLack® classic white (RAL 9010). Available in WestaLack basic-finishes arctic white (RAL 9016) and classic white (RAL 9010) can be found on pages 53. Corresponding glass options can be found on pages 46/47.



Configure our entire interior door range with just a few clicks



Westaline door Type 2505-LB and Type 2505, flush closing with hidden hinges Tectus TE 340 3D in WestaLack® classic white (RAL 9010), with Fourliner sandblasted glazing



| Type 2505 |



| Type 2515 |



| Type 2516 |



| Type 2505-LB |  
Motif Fourliner



| Type 2505-LB-Q |  
Motif  
Straight negative



| Type 2505-LA-DIN |  
Transparent glass



| Type 2505-LA-1 |  
Transparent glass



| Type 2505-LA-1D |  
Transparent glass



| Type 2505-LA-1B |  
Transparent glass



# Westaline – Doors with grooving

## Design on all planes

Those who are passionate about interior design love Westaline. The V-shaped grooves play with the light, conjuring up delicate shadows on the semi-matt surfaces. Vertical joints emphasise the door's slender appearance, while built-in strip apertures allow for interesting views. Combining horizontal and vertical grooving is also an option.




| Type 2502 |



Westaline door Type 2505, flush closing with hidden hinges Tectus TE 340 3D in WestaLack® classic white (RAL 9010)



Doors illustrated are in WestaLack® decor classic white (RAL 9010). The »Westaline« range of doors is available in arctic white (RAL 9016) and classic white (RAL 9010). Can be found from page 53. Corresponding glass options can be found on pages 46/47.



| Type 2502-LB |  
Transparent glass



| Type 2508 |



| Type 2508-LB |  
Transparent glass



## Smartline – Doors with embossed grooves

### Good design doesn't have to cost a lot

Smartline is for those who love good design and are smart with their money. The decor foil surface looks like white lacquer. Softly rounded grooves accentuate the door's horizontal lines, and the joints are embossed and slightly broader – all of which creates a timelessly modern effect. The four Smartline models are available in the version DekoRit® classic white.



| Type 5505 |

Configure our entire interior door range  
with just a few clicks



Smartline door Type 5505 in DekoRit® classic white (DE 223)



The »Smartline« series is available in DekoRit® decor foil classic white (DE 223). Suitable glass options can be found on pages 46–47.



| Type 5505-LA-1 |  
Transparent glass



| Type 5505-LA-1D |  
Transparent glass



| Type 5505-LA-1B |  
Transparent glass



# Lineo – Doors with stainless-steel-effect inserts

## Small details – huge impact

Lineo stands for pareddown design with maximum effect. The series combines different decors and narrow stainless-steel-effect inserts, creating a perfect balance. The custom-fit inserts are embedded in the door leaf. The result: aesthetic flair you can both see and feel.



| Type 3605-LB |  
Transparent glass



| Type 3605-LB-Q |  
Transparent glass



| Type 3605 |



| Type 3605-LA-1 |  
Transparent glass

Configure our entire interior door range with just a few clicks



Lineo door Type 3605 in PortaLit® agate (A 411)



| Type 3606 |



| Type 3604 |



| Type 3602 |



| Type 3604-LB |  
Transparent glass



| Type 3602-LB |  
Transparent glass



Doors illustrated are in PortaLit® agate (A 411). »Lineo« series available in the surface collections PortaLit® and WestaLack®; see pages 51 and 53. Suitable glass options can be found on pages 46/47.



# Country house and contemporary styles don't go together? – Of course they do!



## Country house doors for your home

When it comes to the typical country house style, you don't have to just stick to romantic, playful elements anymore. The latest country house trend is fresh, low-key and uninhibited. And it allows you to combine different styles to your heart's content: think design classics placed next to rustic furniture, or vintage industrial objects displayed alongside traditional, handcrafted items.



The following pages feature over 20 models





## Provence – Doors with deep-drawn profiling



| Type 4004 |



| Type 4004-LA |  
Motif Classico  
negative



| Type 4004-2LA |  
Transparent glass



| Type 4004-2LA |  
Muntin 12  
Transparent glass



| Type 4004-LA |  
Muntin 6  
Transparent glass



| Type 4004-LA |  
Muntin 7  
Transparent glass

### Country house style – a bold combination

At home in the city too, our Provence country house doors are versatile and go with all different kinds of interiors, whether they're classic and simple or minimalist and modern. When combined with cool, pared-down home interiors, they create striking contrasts. Stylish profiles in the surface lend the door its typical country house character.

Configure our entire interior door range with just a few clicks



Provence door Type 4004 in WestaLack® classic white (RAL 9010)



| Type 4002-LA |  
Transparent glass



| Type 4002-LA |  
Motif Palmette



| Type 4002-LA |  
Motif Rosette



| Type 4002-LA |  
Motif Spider  
negative



| Type 4002-LA |  
Muntin 3  
Transparent glass



| Type 4002-LA |  
Muntin 4  
Transparent glass



| Type 4002-LA |  
Muntin 10  
Motif Romantica  
negative




| Type 4002-LA |  
Muntin 11  
Motif Imperial



| Type 4002 |



Doors illustrated are in WestaLack® classic white (RAL 9010). Available in the WestaLack basic lacquers arctic white (RAL 9016) and classic white (RAL 9010), see page 53. Glass options can be found on pages 46/47.





# Provence – Doors with deep-drawn profiling



Doors illustrated are in WestaLack® classic white (RAL 9010). Available in the WestaLack basic lacquers arctic white (RAL 9016) and classic white (RAL 9010), see page 53. Glass options can be found on pages 46/47.



| Type 4004-Q |



| Type 4004-Q-LA |  
Transparent glass



| Type 4004-Q-2LA |  
Transparent glass



| Type 4004-Q-3LA |  
Transparent glass



| Type 4004-Q-LA |  
Muntin 14  
Transparent glass



| Type 4004-Q-2LA |  
Muntin 13  
Transparent glass

Configure our entire interior door range with just a few clicks



Provence door Type 4004-Q and Type 4004-Q-2LA in WestaLack® classic white (RAL 9010), glazing: transparent glass



The frame application Type Classic goes well with | Type 4004 |



The country house frame application type goes well with | Type 4004-Q |

### Eye-catching doors that make a house a home

Trend-watchers are talking about a new kind of comfort, and this is reflected in our Provence country house doors. They are a great match for spaces with warm tones, solid furniture and soft materials. Thanks to their semi-matt lacquering, the doors look elegant and feel pleasant to the touch. Frame applications add to their tasteful appearance. These statement doors are ideal in rooms with high ceilings and large windows.



**i** Frame applications are available for one or both sides of the door.



## Provence – Doors with deep-drawn profiling

### Loving attention to detail

'Home is not just a place – it's a feeling.' The romantic Provence Roman arched doors create the kind of atmosphere that makes you want to take it easy and let body, mind and soul relax. Curved lines meet striking muntins, and the light shines softly through the glass openings, accentuating the details and patterns in the individual sandblasted glass panels. Provence country house doors are also available with the more understated glass options from the Westag glass collection.



| Type 4002-B |



| Type 4002-B-LA |  
Motif Rosette

Configure our entire interior door range  
with just a few clicks



Provence door Type 4002-B-LA with muntin 8 in WestaLack® classic white (RAL 9010), Romantica sandblasted glass, profiled door frame P1



| Type 4002-B-LA |  
Muntin 5  
Transparent glass



| Type 4002-B-LA |  
Transparent glass



| Type 4002-B-LA |  
Motif Palmette



| Type 4002-B-LA |  
Motif Imperial



| Type 4002-B-LA |  
Muntin 8  
Motif Florale



| Type 4002-B-LA |  
Muntin 9  
Motif Romantica  
negative



Doors illustrated are in WestaLack® classic white (RAL 9010). Available in the WestaLack basic lacquers arctic white (RAL 9016) and classic white (RAL 9010), see page 53. Glass options can be found on pages 46/47.



**Our recommendation**  
P1 profiled door frames are a particularly good match for the »Provence« door series (illustrat. p. 58).



## Bretagne – Doors with moulded profiling

### A country house can be modern too

The Bretagne range brings together state-of-the-art design and the charms of a country house. Linear, streamlined, yet expressive. The moulded profiling lends this range its unique character. Whether in a streamlined design with one cassette, or exciting and lively with four cassettes, the design aims for a clear effect for all straight line forms of expression in the field of interior design. The large glass opening of this door creates plenty of transparency and allows light to shine through.



| Type 3001 |



| Type 3001-LA |  
Transparent glass

Configure our entire interior door range  
with just a few clicks



Bretagne door Type 3004, WestaLack® classic white (RAL 9010)



| Type 3004 |



| Type 3004-LA |  
Muntin 20  
Transparent glass



Doors illustrated are in WestaLack® classic white (RAL 9010). Available in the WestaLack basic lacquers arctic white (RAL 9016) and classic white (RAL 9010), see page 53. Glass options can be found on pages 46/47.





# Sliding doors – running in front of the wall



Elegant, functional and subtle, they go with any interior style. Also available as lockable versions (warded lock, profile cylinder lock or bathroom door lock) when combined with an end post.

## Practical and eye-catching

Sliding doors are amazing space savers. They open up our homes and make it easier to move around them. Ideal for small rooms, alcoves and narrow hallways, these doors glide gently along the wall. Slim and distinctive, they are easy to install and can be retrofitted. Our sliding doors are available with or without frames, as lockable versions and to match your other doors – choose whatever suits you.



shell-handle



single tumbler lock (BB)



profile cylinder lock (PZ)




bathroom-lock (WC)




Sliding door running in front of the wall in PortaLit® classic white (A 223)


## Construction variants



The basic version: the sliding door element is fitted directly upon the wall. A high-quality guide rail ensures that the door slides quietly and smoothly. The discreet cover angle in a matching decor covers the guide rail completely. It doesn't get any simpler than this.




The basic version (left) is extended using an end post. This construction allows the sliding door to be locked.




For anyone wishing to hide the open wall reveal, a sliding door construction including door frame is the right choice.



**Our recommendation**  
Can also be retrofitted using existing Westag door frames.



The sliding door construction with door frame (left) is extended using an end post that allows the sliding door to be locked. No further equipment is required.



**Our recommendation**  
All sliding door elements can be fitted with an optional damping function for opening and closing.



# System for customers' glass sliding doors

## One system – many possibilities

Glass sliding doors create an open and bright living atmosphere. The transparent and space-saving concept of contemporary architecture is put into practice by adding some room for the customer's glass sliding doors to the 40/80 sliding door system. Whether you want to keep things simple by quickly and easily mounting the system directly on the wall, or whether you'd rather have it as a highlight when renovating an existing frame, our sliding door system provides many benefits. The system can be combined perfectly with other doors, thanks to the same decorations and paintwork – let the space miracle inspire and persuade you.



Pure and elegant: The sliding door system for frame-free glass sliding doors, running in front of the wall.




Just right for your doors and frames: Both the cover angle and the casing for glass sliding doors are available in the DekoRit® and Portalit® surface collections, and WestaLack. All decors and lacquerings on page 51.



Sliding door system including frame in PortaLit® arctic white (RAL 9016) for customers' glass sliding doors

## Construction variants



The basic version: the glass sliding door is fitted directly on the wall, using the system. A high-quality guide rail ensures that the door slides quietly and smoothly. The cover angle in a matching decor reliably covers the guide rail. The casing for glass sliding doors has a pure, discreet effect.

The basic version (left) is extended using an end post. This construction enables the glass sliding door to be closed flush with the end post (not lockable).


For anyone wishing to hide the open wall reveal, a sliding door construction including door frame is the right choice. Frames, cover angles and casings for glass sliding doors are available in the same decorative patterns.

The sliding door construction with frame (left) is extended with an end post. This construction enables the glass sliding door to be closed flush with the end post (not lockable). Frames, cover angles and casings for glass sliding doors are available in the same decors.




# Sliding doors – running inside the wall

Practical, beautiful and functional – making life easier for disabled people



Complex manoeuvring is required when passing through a standard hinged door



Sliding doors are a practical alternative




Sliding doors running inside the wall in PortaLit® arctic white (A 222)


### Subtle space savers

We use certain areas of our homes for related activities: sleeping and dressing, cooking and eating, living and working. Sliding doors that run inside the wall aren't just space savers – they're also an ingenious way of connecting living areas. All it takes is a gentle hand movement and the door opens. A second hand movement, and it disappears silently into the wall. Those who are passionate about interior design love these doors, since they free up space on the wall for pictures, lamps and other accessories.

### Construction variants




Sliding door system running inside the wall for customised, individual installation in the customer's existing wall openings. The transition from the wall opening to the door frame must be prepared accordingly.



Sliding door system running inside the wall for prefabricated cabinet systems. The prefabricated constructions by well-known manufacturers are installed in drywall or masonry. The specially designed door frame covers the edges of the wall opening reliably.

□ included in delivery    ■ parts from other suppliers



”

An average door  
should last around  
40 years. So it's  
worth paying  
attention to a few  
important details.

“

# Westag – good for people and the environment

## Made in Germany

As the market leader in PVC foil-coated interior doors, we learnt our craft from scratch. Westag & Getalit has been manufacturing its products in Germany for over 110 years. This is where we have found the conditions we need to be able to produce individual doors of certified quality.



## Thinking and acting responsibly

Our mission is to be of service to people and to protect the environment. The wood that your door is made from is sourced from sustainable forestry and is processed without the use of chemicals that are harmful to the environment and to human health. We have high production standards and use modern, environmentally friendly processes that we are continually improving. Our own QA laboratory, independent audits and strict controls ensure the quality of our products.



## We are there for you

When you need a new door, it's best not to make an ad hoc decision – instead, talk to your nearest Westag & Getalit trade partner. They are on hand to provide you with expert, friendly advice and to help you find exactly what you're looking for.



You can find more environmental labels on our website [westag-getalit.com](http://westag-getalit.com)

# Glazing collection

## Is everything clear?

Well, it actually depends which glazing you choose. That's because doors with glass panels don't always have to be simple and see-through. Discover the many different ways to bring more light into your life. We offer the right kinds of glass for every type of door, with colours, degrees of transparency, motifs and designs tailored to your requirements. And if you like, we can include an additional, certified level of safety, so that nothing gets broken and you can enjoy your new purchase with peace of mind.

The flowers in the photos show how transparent the different types of glass are.




## Glazing – available for all door models with glass openings and strip apertures



Transparent glass <sup>1)</sup>



grey <sup>1)</sup>



Satinato <sup>1)</sup>



Gotik <sup>1)</sup>



Altdeutsch K white



Altdeutsch K bronze



Ornament 504 <sup>1)</sup>



Kathedral <sup>1)</sup>



Silvit <sup>1)</sup>



Masterpoint <sup>1)</sup>



Mastercarree <sup>1)</sup>



Masterligne <sup>1)</sup>




Chinchilla <sup>1)</sup>



Uadi <sup>1)</sup>



Faceting Transparent glass




Faceting Satinato



For larger glass openings and strip apertures we recommend safety glass in compliance with DIN, which is available for many types of glass.

We use glass types from different manufacturers and therefore may use similar versions.

**Sandblasted glazing options for the View, Lineo, Westaline and Smartline door models and models with glass openings**



2 Lines

3 x 9

Avantgarde

Curves

Diskret

Double Liner


Fourliner



All sandblasted glazings are supplied as safety glass as standard and are also available in the colour grey.

For figures with sandblasted glass: the light side is sandblasted glazing and the dark side is transparent glass.

**All sandblasted glazings are also available in reversed matting if requested.**



Haldis

Lines


Picco Lines

Spider


Straight

Taro

Taverno



**Sandblasted glazing for the Provence door model**



Classico

Florale


Imperial

Palmette

Romantica

Rosette

**Sandblasted glazing for the View, Lineo, Westaline, Smartline door models and for the LA-1, LA-1D, and LA-1B glass openings**



3 x 9

Curves

Diskret

Double Liner

Fourliner <sup>2)</sup>

Haldis

Lines

Picco Lines

Spider

Straight

Taverno

Liner

<sup>2)</sup> Fits exactly to the layout of the line of the series Westaline Type 2505-LB and Lineo Type 3605-LB (see pages 21 and 26)

”

A door with wood embossing that looks and feels just like real wood? It has to be seen to be believed.

“

## Surface finishes – see them, feel them, experience them!

Our PortaLit® CPL doors combine a real wood effect with an extremely high level of durability. They feel pleasant to the touch and, even after many years of use, look just as good as the day you bought them.

To keep them looking their best, simply wipe them down with a damp cloth. Our PortaLit® special-touch doors are available in the following finishes: classic touch, soft touch und pure touch.



### classic touch

The classic for single-colour doors. Looks like precious parchment, feels pleasant to the touch and is also hard-wearing and extremely functional.



### classic touch

Our tried-and-tested surface for a woodgrained look. The fine grain emphasises the wood effect and makes an especially authentic impression.



### soft touch

As delicate as silk but incredibly tough, this surface has a matt finish – and dust just slides off it.



### pure touch


With optics and surface feel in perfect harmony, this is just like the real thing. The bold wood design gives the surface a very realistic look and feel.

# A particularly resilient surface



PortaLit® has excellent physical characteristics and is available in many different decors. This makes it extremely usable, robust and durable. Our anti-bacterial surfaces of PortaLit® CPL doors guarantee additional effective protection from bacteria. 99.99 % of all bacteria are destroyed within 24 hours with the 'bacteria resistant' design. The results are outstanding features, which are effective, non-toxic and harmless, both for people and the environment.

### Structure of the PortaLit® finish



Doctors' surgeries, hotels and playgroups also benefit from the practical features of our versatile products. PortaLit® CPL doors can easily withstand scratches, knocks, stains, light, steam, and even cigarette burns and household chemicals.

This is down to our special CPL procedure, during which the PVC foil surface is exposed to particularly high pressure. This results in a DIN-approved, typical, non-porous and particularly durable CPL surface. There is a PortaLit® CPL door to suit every lifestyle – from brilliant single-colour decors to natural-looking wood reproductions.

### Surface properties PortaLit®



scratch-resistant



cigarette-proof



light-fast



abrasion-resistant



temperature resistant



stainproof



shock-proof



steam-resistant




resistant to standard household chemicals



antibacterial

# Doors with CPL finish

## Decor collection basic



arctic white  
A 222  
(RAL 9016)



classic white  
A 223  
(RAL 9010)



plain white  
A 242  
(RAL 9010)



light grey  
A 402  
(RAL 7035)

RAL/NCS specifications are approximations of the colour systems and may deviate depending on the surface finish.



ash tree arctic white  
ESR 222



rustic maple  
AH 74



pale oak  
EiB 310



flowery beech  
BU 88



walnut noce  
NU 736

## Decor collection trend




pine white  
Pi 230



pine white cross  
PIC 230



cement  
A 474  
(RAL 9006)



putty  
A 446  
(RAL 7004)



agate  
A 411  
(RAL 7015)



platinum oak  
Ei 424



platinum oak cross  
EiC 424



oak adria  
Ei 767



oak adria cross  
EiC 767



pine light cross  
PIC 11




amber oak  
Ei 727



amber oak cross  
EiC 727



pine grey cross  
PIC 44



wenge  
WE 716

# Doors with decor foil surfaces

## Decor collection basic



Priming film brush-on  
ash tree white pore



classic white  
DE 223  
(RAL 9010)



plain white  
DE 24  
(RAL 9010)



ash tree with pore  
DES 25

RAL/NCS specifications are approximations of the colour systems and may deviate depending on the surface finish.



pine light cross  
DEC 11




rustic maple  
DE 74



pale oak  
DE 30



flowery beech  
DE 88



walnut noce  
DE 736



pine grey cross  
DEC 44

### The cost-effective choice – not just for young trendsetters

Love quality and good design, but on a tight budget? Then our doors with decor foil surfaces are just what you need. DekoRit® decor foil doors are an entry-level product ideally suited to any living situation. They are easy to clean and available in a range of trendy decors. Our DekoRit® surfaces with a wood-like effect are impressive thanks to their true-to-nature reproduction.

### DekoRit® surface properties



abrasion-resistant



temperature resistant



light-fast




stainproof




resistant to gentle cleaning agents

### Structure of the DekoRit® finish



# Doors with lacquer finish

## Lacquer collection basic



arctic white  
(RAL 9016)



classic white  
(RAL 9010)



You can find surfaces with matching colours in the Portalit® decor collection on page 51 – an ideal solution if you need more durable doors in the same colours in certain areas.

RAL/NCS specifications are approximations of the colour systems and may deviate depending on the surface finish.

## Elegance for those who like to be different

Individualists with a penchant for elegant, semi-matt, lustrous surfaces choose our interior doors with lacquer finishes. Available in two basic colours, four trend colours, and, if requested, in any of the colours listed on the RAL, NCS or ACC colour charts. To protect both people and the environment, we only use environmentally friendly, water-based lacquers and solvent-free UV acrylic lacquers.

## WestaLack® surface properties



abrasion-resistant



temperature resistant



light-fast




stainproof



resistant to gentle cleaning agents

## Structure of the WestaLack® finish



# Product overview: interior door range

## PortaLit®

Decor/lacquering		Surface structure <sup>1)</sup>	basic/ trend	RAL <sup>2)</sup> Classic	RAL <sup>2)</sup> Design	NCS <sup>2)</sup>
Abbreviated name	Decor name					
<b>Doors with CPL finish</b>						
A 222	arctic white	soft touch	basic	RAL 9016		S 0502-G
A 223	classic white	soft touch	basic	RAL 9010	100 90 05	S 0500-N
A 242	plain white	classic touch	basic	RAL 9010		S 0500-N
A 402	light grey	classic touch	basic	RAL 7035		S 2002-G
A 411	agate	soft touch	trend	RAL 7015	260 40 05	S 6502-B
A 446	putty	soft touch	trend	RAL 7004	000 65 00	S 4500-N
A 474	cement	soft touch	trend	RAL 9006	000 70 00	S 3500-N
AH 74	rustic maple	classic touch	basic			
BU 88	flowery beech	classic touch	basic			
Ei 424	platinum oak	pure touch	trend			
Ei 727	amber oak	pure touch	trend			
Ei 767	oak adria	pure touch	trend			
EiB 310	pale oak	classic touch	basic			
EiC 424	platinum oak cross	pure touch	trend			
EiC 727	amber oak cross	pure touch	trend			
EiC 767	oak adria cross	pure touch	trend			
ESR 222	ash tree arctic white	classic touch	basic			
NU 736	walnut noce	classic touch	basic			
Pi 230	pine white	pure touch	trend			
PiC 11	pine light cross	pure touch	trend			
PiC 230	pine white cross	pure touch	trend			
PiC 44	pine grey cross	pure touch	trend			
WE 716	wenge	classic touch	trend			

## DekoRit®

<b>Doors with decor foil surfaces</b>						
DE 223	classic white		basic	RAL 9010		
DE 24	plain white		basic	RAL 9010		S 0502-G
DE 30	pale oak		basic			
DE 736	walnut noce		basic			
DE 74	rustic maple		basic			
DE 88	flowery beech		basic			
DEC 11	pine light cross		basic			
DEC 44	pine grey cross		basic			
DES 25	ash white pore		basic			
Priming film brush-on						

## WestaLack®


<b>White lacquer doors</b>						
	arctic white		basic	RAL 9016		S 0502-G
	classic white		basic	RAL 9010	100 90 05	S 0500-N

<sup>1)</sup> The terms used for surface structures differ between GetaLit® and PortaLit®. The PortaLit® 'classic touch' designation covers GetaLit® parchment, pore EB and pore F finishes. PortaLit® 'soft touch' is equivalent to GetaLit® pearl matt, and PortaLit® 'pure touch' is GetaLit® Innato und Legnato.




# Door structures – rebate, edges and cores

## Rebate options:



### Rebated


Rebated doors have been a classic for decades. They cover the gap between the door frame and the door leaf and hardly let any light through when the door is closed (Illustration frame type SL on page 58).



### Flush closing


For lovers of design: the square version of the flush-closing door. The almost flush closing door to the frame looks reduced and elegant. It looks even more puristic with concealed hinges (Illustration frame type SE on page 58).

## Door edge options:



### Square edge

The simplest kind of edge, the square edge has a pared-down, timeless look.



### Round Edge

Round edges allow for soft transitions and make the door edges more resistant to knocks and dirt.


Rebate options	Page	rebated	flush closing
<b>Standard interior doors</b>			
PortaLit®-finish	48–51	■	■
DekoRit®-finish	52	■	■
WestaLack®-finish	53	■	■
<b>door series</b>			
Doors with glass openings	10–11	■	■
Doors with muntins	12–13	■	■
View	16–17	■	■
Westaline	20–23	■	■
Smartline	24–25	■	■
Lineo	26–27	■	■
Provence	30–35	■	■
Bretagne	36–37	■	■
Sliding door in front of the wall	38–41		■
Sliding door inside the wall	42–43		■

edge options	Page	square edge	round edge <sup>1)</sup>
<b>Standard interior doors</b>			
PortaLit®-finish	48–51	■	■
DekoRit®-finish	52	■	■ <sup>2)</sup>
WestaLack®-finish	53	■	■
<b>door series</b>			
Doors with glass openings	10–11	■	■
Doors with muntins	12–13	■	■
View	16–17	■	■
Westaline	20–21	■	■
Smartline	24–25	■	
Lineo	26–27	■	■
Provence	30–35	■	■
Bretagne	36–37	■	■
Sliding door in front of the wall	38–41	■	
Sliding door inside the wall	42–43	■	

<sup>1)</sup> only in the rebated version

<sup>2)</sup> decors DEC 11 and DEC 44 not available in the rounded-edge version


## Door leaf cores:



Our recommendation

### Hollow chipboard core

If you want a solid door that will last a long time, choose the hollow chipboard core – it offers a high level of stability and surface smoothness.



### Solid chipboard core

The core for interior doors with high requirements. Ideal for apartment entrance doors with high soundproofing requirements, particularly in combination with a floor seal. Offers a high degree of mechanical strength and very good thermal insulation.


Door leaf cores	Page	Hollow chipboard core	Solid chipboard core
<b>Standard interior doors</b>			
PortaLit®-finish	48–51	■	■
DekoRit®-finish	52	■	■
WestaLack®-finish	53	■	■
<b>door series</b>			
Doors with glass openings	10–11	■	■
Doors with muntins	12–13	■	■
View	16–17		■
Westaline	20–21	■	■
Smartline	24–25	■	■
Lineo	26–27	■	■
Provence	30–35		■
Bretagne	36–37		■
Sliding door in front of the wall	38–41	■	
Sliding door inside the wall	42–43	■	

# Door frames


## Wooden lining frames

Just like a precious painting, your interior door needs the right frame if you want to get the best effect. We provide a wide range of high-quality wooden lining frames. They are available for all normal wall thicknesses, with architrave widths of up to 100 mm and in various versions – from classic to modern. The flush-closing types allow for a seamless transition from the door leaf to the frame, creating an elegant overall impression.

Rebated





Flush closing





### Standard wooden frame (Type SL)

A well-rounded result – no matter what surface you choose. Suitable for all doors with square or round edges. Also available with architrave widths of 50, 65, 70, 80, 90 and 100 mm.



### Wooden frame with narrow rounded edge (Type SE)

With a narrow radius – for square and round door edges. Also available with architrave widths of 50, 65, 70, 80, 90 and 100 mm.




### Profiled wooden frame P1

For doors with a great profile! Our profiled frames are the favourites for our Provence country house doors. Available in the WestaLack® classic white (RAL 9010) surface finish.

## Determining the correct door-frame dimensions

What size should your door frame be? It must always fit exactly. The table below will help you to correctly calculate the frame size you need to order.




Rebated								
Size to be ordered (mm)	65	70	80	100	125	145	165	185
Adjustment range: from	65	70	80	100	121	141	161	181
to	75	80	96	116	141	161	181	201
Size to be ordered (mm)		205	225	240	270	290	310	330 <sup>1)</sup>
Adjustment range: from		201	221	236	266	286	306	326
to		221	241	256	286	306	326	346

Flush closing								
Size to be ordered (mm)			80	100	125	145	165	185
Adjustment range: from			80	100	121	141	161	181
to			90	116	141	161	181	201
Size to be ordered (mm)		205	225	240	270	290	310	330 <sup>1)</sup>
Adjustment range: from		201	221	236	266	286	306	326
to		221	241	256	286	306	326	346

<sup>1)</sup> Available for a wall thickness up to 620 mm


## Special frames

Block frames are extremely popular with architects and interior designers and turn every door into a design feature. Depending on the structure and installation, a distinction is made between edge frames and butt frames:



### Edge frames

Are simply mounted upon the wall. They allow for door openings with a large clear passage width. They are particularly suitable for low wall thicknesses.



### Butt frames

Don't require brickwork abutment at all. They create a door system that is completely flush with the wall in the flush-closing version. Also available in conjunction with a draught excluder.


Limited choice of decor on request.

# Technical terms


## An overview of important technical terms

Have you always wondered how a Westag & Getalit door is properly installed? One thing is certain: there are a lot of things to take into account. For example, the DIN direction of the door is very important. It determines whether the door opens to the right or to the left into the room and what side the handle is on. We have put together a few important technical terms for you below. Prefer to spend your time thinking of other things? Then skip this page and contact your nearest Westag & Getalit trade partner. They will be happy to provide reliable, expert advice.

## Technical terms for door dimensions



## Directions for doors according to DIN



**DIN direction left**  
The hinges are on the left-hand side when the door is closed.

**DIN direction right**  
The hinges are on the right-hand side when the door is closed.

## DIN directions for sliding doors



DIN direction left

DIN direction right

The following applies to sliding doors:  
DIN direction = closing direction

# Dimensions for doors and frames



## DIN dimensions for doors and frames

Door leaf size (rebated)	Door leaf size (flush closing)	Minimum wall opening	Recommended wall opening	Maximum wall opening
<b>Width in mm (for wooden frames)</b>				
610	584	635	650	680
735	709	760	775	805
<b>860</b>	834	885	900	930
985	959	1010	1025	1055
1110	1084	1135	1150	1180
1235	1209	1260	1275	1305
<b>Height in mm (for wooden frames)</b>				
<b>1985</b>	1972	2005	2010	2025
2110	2097	2130	2135	2150
2235	2222	2255	2260	2275
2360	2347	2380	2385	2400
2485	2472	2505	2510	2525



Independent of the DIN dimensions specified in the table on the left, we can manufacture doors in almost every size up to 2485 x 1290 mm.

For most Design and country house doors, sizes up to 2110 x 985 mm are available. For doors with non-standard sizes, the profiles are kept constant and the lateral surfaces are matched to the required size.



## DIN dimensions for doors and frames

Door leaf size (rebated)	Door leaf size (flush closing)	Minimum wall opening	Recommended wall opening	Maximum wall opening
<b>Width in mm (for wooden frames)</b>				
650	624	675	690	720
700	674	725	740	770
750	724	775	790	820
800	774	825	840	870
<b>850</b>	824	875	890	920
900	874	925	940	970
950	924	975	990	1020
<b>Height in mm (for wooden frames)</b>				
<b>2015</b>	2002	2035	2040	2055
<b>2030</b>	2017	2050	2055	2070
2115	2097	2130	2135	2150

# Hinges and locks

## A brief introduction to fittings

What level of security do you require? The kind of locks you choose will have a significant impact on how happy you'll feel with your new doors. Do you have doors such as apartment entrance doors or a door to the boiler room where it would make sense to use a security lock – or where it's even mandatory? Do you want a special bathroom lock for the bathroom door?

It's also worth looking at hinges. Depending on the door frame type and the amount of strain the door will be under, you can choose from a range of different models. The Tectus TE 340 is great for those who love good engineering and design. The hinges are not visible when the door is closed, and the flush-closing door fits directly into the frame. It's a great example of pared-down design with maximum impact.


## Locks



Profile cylinder locks (PZ)




Single tumbler locks (BB) Standard




bathroom locks (BAD)

## Hinges for wooden frames

### rebated




Hinge V 0020  
Frame section V 3400 WF




Hinge V 0026 WF  
Frame section V 4400 WF


### flush closing



Hinge V 0080  
Frame section V 3400 WF



Hinge V 0087 WF  
Frame section V 4400 WF




Hinge Tectus TE 340 3D  
(concealed)




Our recommendation

## Hinges for steel frames

### rebated




Hinge V 0020  
Frame section V 8100 WF




Hinge V 0026 WF  
Frame section V 8000 WF


### flush closing



Hinge V 0080  
Frame section V 8100 WF



Hinge V 0087 WF  
Frame section V 8000 WF



Hinge Tectus TE 340 3D  
(concealed)



# Apartment entrance doors



“  
Safety –  
day and  
night  
”

Everyone wants to feel comfortable at home. This is where doors come in: they play an important role in our lives, giving us that all-important sense of safety and security, protecting us and keeping out noise and unwelcome guests. At Westag & Getalit you can put together your own individual doors with the exact technical features you need. The result: interior doors and apartment entrance doors that are tailored to your requirements and have the functions and the technology that suit you and your lifestyle.

WAT standard	Components of apartment entrance door sets		
	+ Soundproofing	+ Protection ag. intrusion and burglary	+ Fire protection
Climate class III	■	■	■
Duty group S	■	■	■
3-part hinges	■	■	■
Profile cylinder lock (PZ)	■	■	■

# Apartment entrance doors – standard

## A simple feeling of security – the basic model for those with high standards

Even our standard version has plenty of features. At Westag & Getalit, that’s a matter of course, because we believe that secure doors don’t have to come at a high price. Our apartment entrance doors meet strict environmental requirements and withstand tough conditions as standard. An important detail: all doors from Westag & Getalit bear the RAL quality mark, which certifies that a product has been manufactured in compliance with strict, standardised quality criteria. The recommendations for use in accordance with RAL GZ 426 ensure that you’re always on the safe side when realising your construction project.



I low	II medium	III high	N normal	M medium	S high	E extreme
Hollow-chipboard	Solid-chipboard	Solid-chipboard	Hollow-chipboard	Hollow-chipboard Solid-chipboard	Solid-chipboard	Solid-chipboard <sup>1)</sup>

Place of use	Door leaf climate class			Door leaf duty group		
Interior doors leading to the living room, study, bedroom	■			■		
Children’s room, kitchen, storeroom	■			■		
Bathroom, WC	■	■		■		
Apartment entrance door			■		■	
Doors to attic			■	■		
Basement doors		■		■		
Teaching rooms, barracks, large kitchens, laboratories		■	■			■

Our recommendation



The use of the appropriate climate class prevents warping if the temperatures vary considerably on either side of the door.



<sup>1)</sup> only with appropriate frame structure and fittings

# Apartment entrance doors – soundproofing and fire protection

## Apartment entrance doors with soundproofing and/or fire protection (optional)

Welcome to the quiet zone. Doors with soundproofing ensure that noise stays where it belongs – outside. Even our standard apartment entrance doors meet all soundproofing and safety requirements in accordance with DIN 4109. This means you get three features in one: soundproofing, security and load-bearing capacity. Westag's fire-rated doors provide a high level of protection against fire. Like all the interior and apartment entrance doors in our range, they look good and have great technical features. In addition to fire-rated doors, we also offer combined versions for additional smoke protection requirements and pure smoke protection doors.

### Soundproofed door sets: function

Soundproofing class	Laboratory test result	Recommendation for use
SK27/1	32 dB	Standard apartment entrance door (minimum requirement acc. to DIN 4109)
SK32/2	37 dB	Apartment entrance door with extra convenience
SK37/3	42 dB	Apartment entrance door leading directly into the living area, without vestibule (recommended for increased soundproofing as per DIN 4109, Supplement 2)



Our tip: the installation of soundproofing doors isn't just a good idea in commercial and industrial buildings. Installing a sound-proof door for the children's room can also be a good idea.



### Fire-rated door sets: function

Door structures	Function
Fire-rated doors (in acc. with DIN 4102 and DIN EN 1634)	Protection against fire for 30, 60 or 90 minutes
Smoke protection doors (in acc. with DIN 18095 and DIN EN 1634)	Prevention of penetration by smoke, which contains poisonous gases and impairs visibility



Fire/smoke protection doors are suitable for establishing harmonious shifts between the living space and the garage or boiler room.



# Apartment entrance doors – burglary prevention

## Apartment entrance doors with protection against intrusion and burglary (optional)

A burglary is committed somewhere in Germany every two minutes. Many burglars break in during the day, often via the entrance door. With the right security equipment, 40 per cent of break-ins can be prevented. Westag & Getalit doors protect you from uninvited guests and make your home a safe haven.

Our door sets are tested according to DIN and EU standards and have test certificates and the corresponding markings. Depending on your security needs, you can select additional equipment options, such as a three-point locking system or hinge side protection to prevent the door from being levered open. And a spyhole allows you to take a look at every caller before opening the door.




### Recommendations for use acc. to resistance class as per DIN EN V 1627-30 and EN 1627-30

Burglar/intruder profile	Security requirements	RC <sup>1)</sup>
Casual burglar using simple tools	Standard security level for apartment entrance exposed to an average risk	2
Casual burglar using heavy lever tools	Increased security level for apartment entrance exposed to a high risk	3

<sup>1)</sup> Resistance Class

### Parts of a burglar-resistant apartment entrance door set



# Disclaimer

This document gives general recommendations. This document serves as a general guide to good practice and constitutes no form of warranty (Gewähr) or representation as to fitness for purpose in respect of the products and processes described in it. Any information or products contained within this document must be verified and tested for suitability by the user for his or her particular purpose or specific application. Consideration needs to be given to local or specific circumstances. The content of this document reflects our knowledge and experience at the time of publication.

The information provided in this document is solely indicative. We are unable to warrant (gewährleisten) the accuracy and completeness of this information. No rights can be derived from the information provided; the use of the information is at your risk and responsibility. This document does not guarantee any properties of our products. We do not warrant that the information in this document is suitable for the purpose for which you consult it. The document does not contain any design, technical data, calculation data or other specification of characteristics or representation that may be relied on.

Pictures used in our communications (including but not limited to printed matter) and for samples of our products may differ from the colours of the products to be supplied. Our products and samples are produced within the specified colour tolerances and the colours (of production batches) may differ, even if the same colour is used. The viewing angle also influences the colour perception. Customers and third parties must have a professional adviser inform them about (the suitability of) our products for all desired applications and about applicable laws and regulations. We reserve the right to change (the technical specifications for) our products without prior notice provided that this change has no sustainable impact on the ordinarily intended use of the products. We are furthermore entitled to supply products with variations customary in trade concerning quality, size, weight, colour and facilities. Such products shall be considered as compliant with the agreement.

The newest version of the document replaces all previous versions. We advise that the newest version may contain technical changes that must be taken into account when using the products. The latest version of the document may be consulted on our website. You should always check whether an updated version of the document is available. Any warranty on the products may be voided if the (contents of the) latest version of this document, which may be updated from time to time, is not (properly) followed. We have made every effort to ensure the accuracy of the information in this document, but we cannot be held liable for any oversights, inaccuracies or typographical errors. Even products not provided with tolerances as shown in this document are subject to variations and changes customary in trade and/or in line with industry standard.

To the maximum extent permitted under the applicable law, we shall not be liable (neither contractual nor non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of wilful misconduct or gross negligence on our part. All our oral and written statements, offers, quotations, statements regarding sales, supplies or deliveries and/or agreements and all related activities are governed by our general terms and conditions.

All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by us and/or our licensors.



**Westag & Getalit AG**

Hellweg 15 | 33378 Rheda-Wiedenbrück | Germany

Tel. +49 5242 17-2000 | Fax +49 5242 17-72000

[tz.vertrieb@westag-getalit.com](mailto:tz.vertrieb@westag-getalit.com) | [www.westag-getalit.com](http://www.westag-getalit.com)